

KILLS HOUSE MICE

51P14

EACH BLOCK KILLS UP TO 12 MICE*

T1 MOUSE™

T1 MOUSE™

**CAN BE USED
HORIZONTALLY
OR VERTICALLY**

**4 DISPOSABLE
BAIT STATIONS**



**SEE-THROUGH LID
FOR EASY BAIT
MONITORING**



HORIZONTAL



*PATENT
PENDING*

T1 MOUSE™



DISPOSABLE



VERTICAL

**NET WT:
4 OZ (112g)
1 oz x 4 Bait Stations**



**This Bait Station is Resistant to Weather and to Tampering
by Children and Dogs. For Use Indoors and Outdoors.**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Directions
For Use and First Aid statements.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01%

OTHER INGREDIENTS†: 99.99%

†Contains Denatonium Benzoate TOTAL 100.00%

EPA EST. NOs. 12455-WI-1^k,
12455-WI-2^p, 12455-WI-3^w

EPA REG. NO. 12455-121

* Based on no-choice laboratory testing Superscript is first letter of the lot number.



KILLS HOUSE MICE

EACH BLOCK KILLS UP TO 12 MICE*

**4 DISPOSABLE
BAIT STATIONS**



*PATENT
PENDING*

T1 MOUSE™

This Bait Station is Resistant to Weather and to Tampering
by Children and Dogs. For Use Indoors and Outdoors.

NET WT:

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT:

T1 MOUSE™

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

Manufactured by:



MADE IN USA

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of house mice, T1 MOUSE bait station must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station at highest point of activity beside burrows, along a wall or in corner where mice or their signs have been seen. If additional units are purchased, place bait at 8 to 12 feet intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease in infested areas. Replace bait station when bait is consumed or contaminated.

Follow-up: Wearing gloves, collect and properly dispose of emptied bait stations or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

073117/02-15

